

Presstek Compass®

High Performance Thermal CTP

- Four-page and Eight-page Models
- Price and Performance Choices
- Automation and Ease-of-Use
- Fast Imaging, High Throughput
- Outstanding Image Quality
- Images Presstek's Thermal Plates



Presstek Compass®

Be More Capable, Profitable and Competitive

Presstek Compass CTP systems provide high performance and increase productivity to make your business more capable, profitable and competitive in today's marketplace. Combined with Presstek's thermal CTP plates, Compass significantly reduces time, labor and materials required for platemaking. Compass offers speed, ease-of-use, and a consistent, reliable supply of high resolution plates for your presses.

Compass is a smart choice for any size printing business looking to expand, better respond to customers' needs, and lower the costs of platemaking. Compass systems are available in four-page and eight-page models. Price and performance choices are offered in each model.



Compass CTP systems offer maximum efficiency, outstanding image quality, and ease-of-use. Modular design allows for automation upgrades, so your Compass system can grow with your business.

Take Your Business in the Right Direction

Be More Capable

The easy operation of Compass and imaging speeds up to 40 plates per hour enable you to process jobs more quickly, and respond to short lead times and last minute changes. High resolution output and the exceptional performance of Presstek plates meet the most demanding applications. Variable continuous resolution allows you to match the resolution to the job's requirements. With automated, continuous operation, plates are always ready when you need them.

Be More Profitable

When using Presstek's chemistry-free plates all the costs associated with chemicals and processors are eliminated. Save time-consuming steps, reduce labor, and conserve valuable floor space. You eliminate expensive remakes caused by variables in chemistry, exposure and human error. You also significantly reduce the environmental costs of platemaking.

Be More Competitive

Platemaking with Compass is far more accurate and reliable. Fast response times and lower pre-press costs enable you to better capitalize on the growing demand for short-run, fast turnaround printing, while also improving the productivity of your operation. With no delays in platemaking, you can produce more jobs every shift, without compromises.



Compass 4038 with multi-cassette autoloader

The Solution that Fits Your Business

Compass 4000 Series

Compass 4000 models are 4-page platesetters with true six-up drum size, allowing you to image a wide range of plate sizes to increase your efficiency and capabilities. Compass 4015 images up to 15 plates per hour. Compass 4022 images up to 22 plates per hour. Compass 4038 images up to 38 plates per hour.

Compass 8000 Series

Compass 8000 and 8000 Plus models are 8-page platesetters capable of imaging plates up to 37.4" x 45.7" (950 mm x 1162 mm). The 8000 plus series can image up to 450 lpi for ultra fine detail. Compass 8015 images up to 15 plates per hour. Compass 8022 images up to 22 plates per hour. Compass 8030 images up to 30 plates per hour. Compass 8040 images up to 40 plates per hour.

High Productivity with Continuous Loading

The Compass system design features continuous loading, which moves plates through the system in parallel. While one plate is being imaged, another is already loaded and waiting. At the same time, queue management controls all the plates in process. Inline registration is automatic.

From Continuous Loading to Total Automation

While all base model four- and eight-page systems are semi-automatic, featuring continuous loading, you can choose from several options to further increase automation and productivity.

Optional autoloaders are available in single-cassette or multiple-cassette units. The multi-cassette autoloader provides complete production flexibility: each cassette holds plates of different sizes and can be reloaded without interrupting production. The 8000 series multi-cassette autoloaders can be configured to extend left or right to accommodate your floor plan.

An inline standard or customized punch option is available with each choice of autoloader.

Modular Upgrades

Upgrade your Compass system at any time. All automation options can be installed at your site.

Connectivity

Through the use of 1-bit tiff files, Compass systems are compatible with a wide-range of industry standard workflows.




Chemistry-free Aurora Pro

Presstek's chemistry-free Aurora Pro thermal CTP plates deliver the reliability and performance of traditional grained anodized aluminum plates without the problems and expense of chemical plate processing. Daylight-safe Aurora Pro plates require only a simple wash with water and they are ready for printing.

Presstek's exclusive Pro graining provides exceptional ink/water latitude, resulting in faster roll-up and stable color throughout the press run.

- Streamlined production: no chemical processing, baking or gumming is required
- High resolution dot structure with sharp edges and image definition
- Performance matched for high-speed imaging
- Excellent ink/water balance properties
- Positive imaging
- High productivity in pre-press and the pressroom
- Environmentally-friendly



Presstek Compass 4000 Series Specifications

Technology	830 nm thermal laser imaging, external drum
Media Type	Presstek chemistry-free Aurora Pro grained aluminum plates for run lengths up to 25,000; or other IR-sensitive aluminum plate media, 830 nm Presstek Aeon for run lengths up to 200,000 unbaked and 1 million baked. Media Size Around Drum: 26.96" (685 mm) maximum; 11.81" (300 mm) minimum Along Drum: 30" (762 mm) maximum; 9.0" (228 mm) minimum Plate Thickness: .005" to 0.012" (0.140 to 0.305 mm)
Throughput*	Compass 4015 – Up to 15 plates per hour; Compass 4022 – Up to 22 plates per hour; Compass 4038 – Up to 38 plates per hour
Resolution	Up to 2540 dpi
Screen Ruling	Images up to 250 line screen, Plus models up to 450 line screen.
Load/Unload	Base Models: Continuous load, semi-automated Optional single-cassette automated unit: Fully automated; holds up to 60 plates of the same size and thickness; automatically removes slip sheets Optional multi-cassette unit: Fully automated; holds up to 180 plates in three cassettes, each cassette containing up to 60 plates of the same size and thickness; automatically removes slip sheets. Compass automatically selects the required cassette based on the job definition. <i>(Cassettes can be by-passed by directly inserting a plate via the loading conveyor.)</i>
Inline Punch	Optional with either automated plate loading cassette unit or semi automatic configuration. Up to 6 punch heads. Choose from a list of qualified punches.

Presstek Compass 8000 Series Specifications

Technology	830 nm thermal laser imaging, external drum
Media Type	Presstek chemistry-free Aurora Pro grained aluminum plates for run lengths up to 25,000; or other IR-sensitive aluminum plate media, 830 nm Presstek Aeon for run lengths up to 200,000 unbaked and 1 million baked. Media Size Around Drum: 37.4" (950 mm) maximum; 13" (330 mm) minimum Along Drum: 45.7" (1162 mm) maximum; 12" (304 mm) minimum Plate Thickness: .005" to 0.016" (0.140 to 0.4 mm)
Throughput*	Compass 8015 – Up to 15 plates per hour; Compass 8022 – Up to 22 plates per hour Compass 8030 – Up to 30 plates per hour; Compass 8040 – Up to 40 plates per hour
Resolution	Up to 2540 dpi
Screen Ruling	Images up to 250 line screen, Plus models up to 450 line screen.
Load/Unload	Base Models: Continuous load, semi-automated Optional single-cassette automated unit: Fully automated; holds up to 100 plates of the same size and thickness; automatically removes slip sheets Optional multi-cassette unit: Fully automated; holds up to 300 plates in three cassettes, each cassette containing up to 100 plates of the same size and thickness; automatically removes slip sheets. Compass automatically selects the required cassette based on the job definition. <i>(Cassettes can be by-passed by directly inserting a plate via the loading conveyor.)</i>
Inline Punch	Optional with either automated plate loading cassette unit. Up to 10 punch heads. Choose from a list of qualified punches.

*Throughput may vary depending on plate type and sensitivity. Specifications are subject to change.



Service and Support

Presstek is committed to providing you the highest levels of service and support for your Presstek products. Presstek's unparalleled expertise in laser imaging technology combined with our extensive service experience brings you the leading support in the industry. Expert installation, training and maintenance will support your investment, so it will pay dividends quickly and reliably for years to come.



A Sustainable Future

For over 20 years, Presstek has been an innovator in changing the way printing is manufactured. Presstek led the industry with the world's first thermally-imaged chemistry-free printing plates. Today, Presstek's digital offset solutions continue to lead the industry to a more profitable, responsive and sustainable future.

For more information about
Presstek Products:

Presstek, Inc.

55 Executive Drive
Hudson, NH 03051 USA
Tel: 603-595-7000
www.presstek.com



Printed with Presstek chemistry-free digital offset technology on Chorus Art 100lb. Silk Cover. Chorus Art stock contains 50 percent recycled fiber, including 25 percent post-consumer waste, and is Forest Stewardship Council certified.

Copyright © 2010 Presstek, Inc. 9-2665 6/10